

# RTL 900mm Enviro Cone

## TTMC Compliant Road Cone

Our 900mm Enviro Traffic Road Cone is designed for every day use on Local or NZTA roads. It is fully compliant to NZTA TTMC specifications and stacks with both the RTL Slimline Cone and Slim Composite Cone. The Enviro Cone features Class 400 3M Cone Collars for exceptional retro-reflectivity, with a top hand grip and internal ribs to help with release. Contact us today to enquire how you can benefit from choosing the Enviro Cone.

\* NZTA TTMC Compliant

\* Durable 3M Class 400 Cone Collars

\* Recyclable



### Key Feature:

Our Cones utilise 3M tear resistant retro-reflective cone collars that meet the AS/ NZS 1906.1 standard.

### Features & Benefits

- NZTA TTMC & CoPTTM compliant
- Tear resistant, highly visible retro-reflective cone collars
- Recyclable - designed to be recycled
- Stacks with RTL's Slimline & Composite cone (male / female)
- Feet design to allow water to flow easily under the cone
- Cone collar recessed for collar protection
- Top hand grip
- Internal ribs to help release
- Improved UV resistance
- Cold & heat tested
- Impact tested
- Robust & easy to clean

RTL Stock code: TC14 70B2

### Key Features

#### Top hand grip & cone collar recess

Top hand grip for easier pick up

Cone recess for added protection



### Placing an Order

For ease of ordering, please mention the Enviro Cone and reference the stock code TC14 70B2

Turn over for cone branding options and additional accessories like cone bars and cone sleeves.

# Cone Branding & Accessories

## Branding Options

To enhance your company profile and also let you quickly identify your gear onsite, RTL offer a FUSION Branding and or screen printing service where we brand your company logo onto the cone.



### Fusion - Anti-theft

Anti theft permanent branding in the upper section of the cone



### Screen-printing

Standard print branding

Under CoPTTM, company logos applied to the sides of delineation devices must be no greater than 5000mm<sup>2</sup> (eg: 50mm x 100mm) with the top of the logo being no higher than 200mm (±20mm) from the road surface.


## Retro-reflective Cone Collars

Our replacement cone collars are precut to suit either our Slim or Wide Profile cones. Upper and lower cone collars are sold separately.

### Slim Profile



### Wide Profile



Cone collars are made from a self-adhesive 3M tear resistant retro-reflective sheeting that meets the NZTA retro-reflective AS/NZS 1906.1 requirements.


## Extendable Cone Bars

Cone bars are used to provide a channel for pedestrians on work sites where workers are in attendance. They should only be used in conjunction with positive traffic management and not be used to replace a safety fence or left unattended when a work site closes.

### CoPTTM Compliant



Retro-reflective sheeting complies with retro-reflective AS/NZS 1906.1 requirements.



## No Stopping Sleeves



Same use as the No Stopping Cones but these can be used on Slim Profile cones and are sold in packs of 10.

Each pack contains:  
one left arrow, one right arrow and 8 double arrows.

Cones are sold separately.

## Custom Cone Covers



Heavy duty cone covers that can be custom printed with the message you need to convey i.e. Power Line Overhead.

We have both a slim profile and wide profile cover available (slim shown).

Cones are sold separately.

# Cone Branding & Accessories

## Branding Options

To enhance your company profile and also let you quickly identify your gear onsite, RTL offer a FUSION Branding and or screen printing service where we brand your company logo onto the cone.



### Fusion - Anti-theft

Anti theft permanent branding in the upper section of the cone



### Screen-printing

Standard print branding

Under CoPTTM, company logos applied to the sides of delineation devices must be no greater than 5000mm<sup>2</sup> (eg: 50mm x 100mm) with the top of the logo being no higher than 200mm (±20mm) from the road surface.

## Retro-reflective Cone Collars

Our replacement cone collars are precut to suit either our Slim or Wide Profile cones. Upper and lower cone collars are sold separately.

### Slim Profile



### Wide Profile



Cone collars are made from a self-adhesive 3M tear resistant retro-reflective sheeting that meets the NZTA retro-reflective AS/NZS 1906.1 requirements.

## Extendable Cone Bars

Cone bars are used to provide a channel for pedestrians on work sites where workers are in attendance. They should only be used in conjunction with positive traffic management and not be used to replace a safety fence or left unattended when a work site closes.

### CoPTTM Compliant



Retro-reflective sheeting complies with retro-reflective AS/NZS 1906.1 requirements.



Extends up to 2m

## No Stopping Sleeves



Same use as the No Stopping Cones but these can be used on Slim Profile cones and are sold in packs of 10.

Each pack contains:  
one left arrow, one right arrow and 8 double arrows.

Cones are sold separately.

## Custom Cone Covers



Example Text

Heavy duty cone covers that can be custom printed with the message you need to convey i.e. Power Line Overhead.

We have both a slim profile and wide profile cover available (slim shown).

Cones are sold separately.