



Dy-Mark Line Master

Professional Line Marking Machine


The Dy-Mark Line Master is designed to accurately mark out lines in car parks, schools, warehouses and on sports fields and tennis courts. Used with either the 500g Dy-Mark Line Marking or Turf Master Paints, the Line Master is portable and simple to use, providing adjustable line marking between 60mm and 100mm wide.

The ergonomically designed Line Master, is made of sturdy steel construction and features large wheels for all types of terrain, a removable handle for spot marking and stencils etc and a built in side attachment for marking safety lines against walls and gutters.



Range of colours available.
Cans sold separately.

- Internal masking wheels, assuring a sharp line every time
- Ergonomic design with a collapsible handle, making it easy to store and transport
- Removable handle that converts to a lightweight, spot-marking handle
- Convenient utility tray capable of carrying 4 spare cans
- Built-in side attachment to make it easy to mark lines against walls and gutters



The Line Master is ideal for marking:

- Road surfaces and car parks
- Warehouse and factory floors
- For marking sporting courts and fields
- To put down stencilled safety messages
- Identification of utility access i.e. hydrants & telecommunication points with durable colour marks.

RTL Stock code: MK21 02T

For More Information: <https://www.youtube.com/watch?v=iPdpIDo5eek>

Application & Notes:

- **Instructions:** Shake & insert can into the Line Master's Spot Marking Handle. To achieve the narrowest line width, the spot marking handle must be inserted into the lowest position. Line width can be increased by raising handle in slot. Line width ranges between approx. 60mm and 100mm.
- **Handy Tip:** Test line width by marking on cardboard until desired width is achieved. Masking wheels are designed to sharpen lines by catching any over-spray at the edges only.

Dy-Mark Line Master: For accurate line marking both indoors and outdoors

V2.0 May 2024